



Corby Clinical Commissioning Group



Nene Clinical Commissioning Group

What is a Delayed Antibiotic Prescription?

Overuse of antibiotics can lead to antibiotic resistance. This means that antibiotics are becoming less effective at fighting infections. An example of this is the MRSA – super bug.

Antibiotics offer little or no benefit for sore throats, ear infections, coughs or colds. Many of these conditions get better on their own without antibiotics.

A prescription will be prepared just in case your symptoms do not improve. Firstly this will allow time for the illness to improve without intervention, but secondly will allow you to obtain antibiotics if it does not. This is called a ***delayed prescription***

The prescription will be left at the surgery reception desk for you to collect.

You may collect the prescription in _____ days time if your symptoms have not improved or you feel no better.

Please bring this leaflet with you.

Please remember that you can still contact the surgery if your symptoms worsen. Or you may call NHS 111 or contact your local pharmacist for advice.



Corby Clinical Commissioning Group



Nene Clinical Commissioning Group

What is a Delayed Antibiotic Prescription?

Overuse of antibiotics can lead to antibiotic resistance. This means that antibiotics are becoming less effective at fighting infections. An example of this is the MRSA – super bug.

Antibiotics offer little or no benefit for sore throats, ear infections, coughs or colds. Many of these conditions get better on their own without antibiotics.

A prescription will be prepared just in case your symptoms do not improve. Firstly this will allow time for the illness to improve without intervention, but secondly will allow you to obtain antibiotics if it does not. This is called a ***delayed prescription***

The prescription will be left at the surgery reception desk for you to collect.

You may collect the prescription in _____ days time if your symptoms have not improved or you feel no better.

Please bring this leaflet with you.

Please remember that you can still contact the surgery if your symptoms worsen. Or you may call NHS 111 or contact your local pharmacist for advice.